
LED-AROUND

Standing Luminaire

ADO ®
by TTC Timmler Technology

LED-AROUND

Standing Luminaire


ADO *Lights*

PICTURES



LED-AROUND

Standing Luminaire



BASE INFORMATION AND GENERAL TECHNICAL SPECIFICATIONS



LED-Around | Light in all directions


Combining sophistication and efficiency. Upward and downward light radiation. Ensures homogeneous, glare-free illumination. Fully transparent when switched off. LED Around is useful everywhere, in offices and administrative buildings, in show rooms and private residences.

As a freestanding luminaire, LED Around is a true all-rounder: it can provide radiant, glare-free but still subdued lighting. A captivating product – thanks to its minimalist design and high-quality finish.

Features

- For offices, showrooms, hotels, laboratories, shop floors and private residences
- Narrow light colour tolerances
- Direct/indirect light extraction; optional direct light extraction with reflector
- Perfect homogeneous light spread
- Glare-free
- Steplessly dimmable and suitable to VDU workstations

DIMENSIONS [L X W X H]	HEAD: 610 x 320 x 20 mm BASE: 420 x 320 mm TOTAL HEIGHT: 1,950 mm
POWER CONSUMPTION	85 W
LUMINOUS FLUX	Module efficiency 108 lm/W Direct/indirect 4,117 lm/2.745 lm At 100 % direct 6,862 lm Nominal luminous flux 9,150 lm
OPERATING VOLTAGE	230 V
SEVICE LIFE	LED 50.000 hours at 70% of mean luminous flux
COLOUR TEMPERATURE	White 3,000/4,000 Kelvin
CRI	CRI > 85 Narrow colour tolerance MacAdam Step 3
NORM/PERFORMANCE	UGR < 19 L65 < 1,500 cd/m ² according to EN 12464-1:2011
IP RATING	IP20
LUMINAIRE HOUSING	HEAD: Aluminium anodised or black anodised PIPE: Aluminium anodised or black anodised BASE PLATE: Aluminium anodised or black anodised; weighted down with steel plate
CONVERTER	Overload protection Overtemperature protection Short-circuit protection Dimming adjustable for DC-mode
OPTIONS	Presence detector Cluster switches Daylight sensor
WEIGHT	18 kg



TTC Timmler Technology GmbH
Christian-Schäfer-Straße 8
D-53881 Flammersheim [Cologne/Bonn]
T +49 2255 9212-00
F +49 2255 9212-99
E info@ado-lights.com
I www.ado-lights.com
www.led-luc.com



by TTC Timmler Technology

